

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1 and reset\$6 and eras\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:54
		driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and provid\$6 and reset\$6 same period\$1 and includ\$6 and generat\$6 same discharge\$6 and eras\$6 and apply\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:27
L1	1	"6608609".pn. and address\$6 same period\$6 and first same reset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 08:44
L3	10	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and reset and erase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 09:44

EAST Search History

L4	2	"20040210560"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 10:13
L5	2	"20040212560"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 10:13
L6	1	"20040212560" and fifth and sixth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 10:33
L7	18324	"20040212560" and (fifth and sixth) sme voltage\$! and (first and second) same voltage same level and (third and fourth) same voltage same level	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 10:35
L8	1	"20040212560" and (fifth and sixth) same voltage\$1 same level\$6 and (first and second) same voltage\$1 same level\$6 and (third and fourth) same voltage\$1 same level\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 10:36
L9	626	(plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first smae second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:49

EAST Search History

L10	581	(plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cross\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1 and reset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:52
L11	4	(plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cross\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1 and reset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:52
L12	2	(plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cross\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1 and reset\$6 and eras\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:56
L13	1508	(plasma adj display adj panel or PDP) and reset\$6 and eras\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:56
L14	607	(plasma adj display adj panel or PDP) same reset\$6 same eras\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:56

EAST Search History

L15	0	(plasma adj display adj panel or PDP) same reset\$6 same eras\$6 and six same voltage same level\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:57
L16	0	(plasma adj display adj panel or PDP) same (reset\$6 and eras\$6) and six same voltage\$1 same level\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:57
L17	85	(plasma adj display adj panel or PDP) same (reset\$6 and eras\$6) and (six and voltage\$1 same level\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:58
L18	3	(plasma adj display adj panel or PDP) same (reset\$6 and eras\$6) and (six and voltage\$1 same level\$6) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:59
S1	546	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 11:45

EAST Search History

S2	450	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first smae second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and predetermin\$6 same condition\$6 and provid\$6 and reset\$6 same period same set\$6 and includ\$6 and generat\$6 same discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:30
S3	450	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first smae second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and predetermin\$6 same condition\$6 and provid\$6 and reset\$6 same period\$1 same set\$6 and includ\$6 and generat\$6 same discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:29

EAST Search History

S4	0	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and predetermin\$6 same condition\$6 and provid\$6 and reset\$6 same period same set\$6 and includ\$6 and generat\$6 same discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:31
S7	1	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and predetermin\$6 same condition\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:35
S8	5	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and (predetermin\$6 and condition\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:35

EAST Search History

S9	1202	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and (predetermin\$6 and condition\$6) and provid\$6 and reset\$6 same period same set\$6 and includ\$6 and generat\$6 same discharge\$6 and eras\$6 and apply\$6 and plural\$6 same discharge\$6 same cell\$1 and discharge\$6 same pulse\$6 and generat\$6 same discharge\$6 same between same first same second same electrode\$1 and apply\$6 same plural\$6 same discharge\$6 same cell\$1 and erase\$6 same pulse\$6 and eras\$6 same charge\$6 form\$6 and first same second same electrode\$1 same respons\$6 same discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:37
----	------	---	---	----	----	------------------

EAST Search History

S10	0	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and (predetermin\$6 and condition\$6) and provid\$6 and reset\$6 same period same set\$6 and includ\$6 and generat\$6 same discharge\$6 and eras\$6 and apply\$6 and plural\$6 same discharge\$6 same cell\$1 and discharge\$6 same pulse\$6 and generat\$6 same discharge\$6 same between same first same second same electrode\$1 and apply\$6 same plural\$6 same discharge\$6 same cell\$1 and erase\$6 same pulse\$6 and eras\$6 same charge\$6 and form\$6 and first same second same electrode\$1 same respons\$6 same discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:42
S11	0	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and (predetermin\$6 and condition\$6) and provid\$6 and reset\$6 same period same set\$6 and includ\$6 and generat\$6 same discharge\$6 and eras\$6 and apply\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:39

EAST Search History

S15	2	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and provid\$6 and reset\$6 same period and includ\$6 and generat\$6 same discharge\$6 and eras\$6 and apply\$6 and plural\$6 same discharge\$6 same cell\$1 and discharge\$6 same pulse\$6 and generat\$6 same discharge\$6 same between same first same second same electrode\$1 and apply\$6 and plural\$6 same discharge\$6 same cell\$1 and erase\$6 same pulse\$6 and eras\$6 same charge\$6 and form\$6 and first same second same electrode\$1 same respons\$6 same discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:43
S16	4	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and provid\$6 and reset\$6 same period\$1 and includ\$6 and generat\$6 same discharge\$6 and eras\$6 and apply\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/03 23:42
S17	2	"20030080682"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:41

EAST Search History

S18	0	nagano same schinichiro	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:40
S19	145	Nagano same Shinichiro	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:41
S20	41	Nagano same Shinichiro and (PDP or plasma same display same panel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:42
S21	29	Nagano same Shinichiro and (PDP or plasma same display same panel) and electroded\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:42
S22	0	Nagano same Shinichiro and (PDP or plasma same display same panel) and electroded\$1 and substarte\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:42
S23	0	Nagano same Shinichiro and (PDP or plasma same display same panel) and electroded\$1 and substarte\$1 and discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:43
S24	24	Nagano same Shinichiro and (PDP or plasma same display same panel) and electroded\$1 and substrate\$1 and discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:43
S25	8	Nagano same Shinichiro and (PDP or plasma same display same panel) and electroded\$1 and substrate\$1 and discharge\$6 and eras\$6 and reset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:44

EAST Search History

S26	4	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and provid\$6 and reset\$6 same period and includ\$6 and generat\$6 same discharge\$6 and eras\$6 and apply\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:50
S27	1	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and set\$6 same plural\$6 same discharge\$6 same cell\$1 and provid\$6 and reset\$6 same period same set\$6 and includ\$6 and generat\$6 same discharge\$6 and eras\$6 and apply\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 09:52
S28	4	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same define\$6 same plural\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 10:46

EAST Search History

S29	28	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 09:42
S30	10	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and ramp and voltage\$!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 12:31
S31	10	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and ramp and voltage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 12:31

EAST Search History

S32	10	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and ramp\$6 and voltage\$1 and address\$6 and sustain\$6 and discharge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 12:40
S33	0	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and ramp\$6 and voltage\$1 and address\$6 and sustain\$6 and discharge\$6 and reset\$6 and eras6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 12:41
S34	10	driv\$6 same (plasma adj display adj panel or PDP) and plural\$6 same first same electrode\$1 and second same electrode\$1 and form\$6 same parallel and first same substrate\$1 and plural\$6 same third same electrode\$1 and (cros\$6 or orthogonal or perpendicular) same (first and second) same electrode\$1 and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1 and ramp\$6 and voltage\$1 and address\$6 and sustain\$6 and discharge\$6 and reset\$6 and eras6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 12:42
S35	2	"5,687058".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:09

EAST Search History

S36	2	"5,711013".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 15:09
S37	3	"6608609".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:31
S38	1	"6608609".pn. and form\$6 same second same substrate\$1 and adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:33
S39	0	"6608609".pn. and form\$6 same adjacent same first same second same third same electrode\$1 same plural\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:34
S40	1	"6608609".pn. and address\$6 same period\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:37
S41	1	"6608609".pn. and address\$6 same period\$6 and reset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:40
S42	0	"6608609".pn. and address\$6 same period\$6 and (first and second) same reset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:39
S43	1	"6608609".pn. and address\$6 same period\$6 and first same reset\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 08:44
S44	1	"6608609".pn. and address\$6 same period\$6 and reset\$6 and first and second	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:40
S45	2	"20040212560"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:52

EAST Search History

S46	1	"20040212560" and (first and second) same reset	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:52
S47	1	"6608609".pn. and address\$6 same period\$6 and first same reset\$6 and erase\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/04 16:53